


DOMINANT SERIES TRAILED TYPE MULTI DISC HARROW & CHISEL PLOUGH WITH T TYPE ROLLER COMBINATION



SMDMT-3T



SMDMT-3T





GENERAL FEATURES

Its open design with large clearances effectively prevents blockage even when working with high contents of organic matter. The serrated concave discs (570-620 mm diameter), which are supported by maintenance-free angular ball bearings, form the basis for the outstanding quality of work produced by this highly durable implement. The concave disc beams, which are located inside closed pockets and feature robust rubber to protect them against overloads, ensure precise disc guidance even under difficult conditions. This improves the distribution of straw when driving at a diagonal angle to the direction of threshing. The strong intensive chisel is suited for both the first, shallow stubble cultivation across the full surface after combine harvesting and for subsequent, deeper passes with intensive mixing, or for seedbed preparation for mulch seeding. The depth control in the mounted strong model is easily accessible, and the working depth can be adjusted finely between 5 and 30 cm.

TECHNICAL DETAILS

CODE	NUMBER OF DISC	MODEL OF LEG	TYPE OF ROLLER	DISC DIAMETER (CM)	WORKING WIDTH (CM)	WORKING DEPTH (MM)	REQUIRED POWER (HP)
SMDMT-3R	24	RUBBER	CAGE TYPE ROLLER	57/62	300	250-300	160-220
SMDMT-3T	24	RUBBER	T TYPE ROLLER	57/62	300	250-300	160-220
SMDMT-3D	24	RUBBER	DISC TYPE ROLLER	57/62	300	250-300	160-220





SOIL MASTER
AGRICULTURAL MACHINERY

HEAD OFFICE

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G
42050 Karatay/Konya/TURKEY

T: +90 332 290 00 20
F: +90 332 290 00 19

FACTORY

Add: Büyükkayacık Osb, Yaylacık Cd. No:
23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 239 18 85
T: +90 332 239 18 86
F: +90 332 239 18 87

www.soilmaster.com.tr



+90 (532) 137 01 74



info@soilmaster.com.tr



SOILMASTER AGRICULTURAL MACHINERY



For detailed information about
our products, you can scan the
QR code by your device.